

PRODUCT CATALOG



HEIRLOOM QUALITY HAND CRAFTED CUSTOM DRAPERY HARDWARE AUTHENTIC MATERIALS FORGED IRON AMERICAN GROWN HARDWOOD

TABLE OF CONTENTS

NEXT GENERATION IRON	4-11
ESTATE IRON	12-17
CUSTOM IRON	18-23
FRENCH RETURN	24-27
CONTEMPORARY METAL	28-31
SEDONA	32-35
PLANTATION WOOD	36-39
STRUCTURE	40-43
LOFT MOTORIZATION	44-47
PRESENTATION SAMPLES	48-52
MEASURING GUIDE	53
ORDERING GUIDES	54-55



NEXT GENERATION IRON

New Designs & Finishes in Ring, Traverse and Motorized Configurations



15-1"

ONE-WAY DRAW

MOTORIZED

8

Rod Sets are custom made, assembled & shipped ready to install

8

- 1-1/2" DIAMETER
- SINGLE & DOUBLE ROD SETS
- CENTER & ONE-WAY DRAW
- AUTOMATIC LIMIT POSITION
- SOFT OPENING & CLOSING
- WHISPER QUIET
- ROD SETS UP TO 188"
- OPTIONAL WI-FI MODULE FOR CONTROL WITH ALEXA, SIRI, GOOGLE ASSISTANT & SMART PHONE

MOTORS & REMOTES FACTORY PAIRED

DOUBLE

ROD SET

MOTORS,

110v Motor with 12' cord or 12v Lithium battery powered Motor

Wi-Fi

Optional Wi-Fi Module easily connects to bottom of motor



"Alexa, open the curtains."

REMOTES





Dual-Channel Du W

Dual-Channel Wireless Wall Switch

15-Channel Remote & 15-Channel Wireless Wall Switch available


TRAVERSE



NEXT GENERATION IRON



BRACKETS



NEXT GENERATION IRON TRAVERSE & RINGS

1.5" DIAMETER ROD SETS SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

Single Rod Set

•

- ROD SET INCLUDES: Rod, finials, brackets and mounting hardware.
- Double Rod Set

Bay Window Rod Set

Corner Window Rod Set

- Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.
- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets. ٠
- Rod widths greater than 72", include center support brackets.
- Ripple-Fold only available on Traverse rods not available on Motorized rod sets. •

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION DIMENSIONS

Knob Ribbon Bow Tie Block Cylinder Ball End Cap Clear Square Contempo Simple End Cap Clear Cylinder

3/4" W x 2-1/2" H 1-3/4" W x 2-1/4" H 2-3/4" W x 3" H 7/8" W x 2" H 2-3/4" W x 2" H 2-1/2" W x 2-3/8" H 1/2" W x 2-3/4" H 1-1/4" W x 2-3/4" H 1-3/8" W x 2" H 3/4" W x 2" H 2-1/8" W x 2" H

BRACKETS (RINGS)

DESCRIPTION

Forged Single Forged Double(1) Forged Extended C-Ring Center Bypass C-Ring Double Center (1) C-Ring Extended Center Inside Mount Ceiling

BRACKETS (TRAVERSE)

DESCRIPTION

Standard Extension Double Standard Center Extension Center Double Center Ceiling

DIMENSIONS 1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection) 1" W x 5-1/2" H x 5-3/4" D (5" projection) 1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection) 4" W x 1" H x 5-3/4" D (5" projection) 1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection) 2" W x 1-1/2"- 12" H (Custom made)

STANDARD CARRIERS

DESCRIPTION

8 Wheel Master (Overlap) 8 Wheel Master (Under) 3/4" Ball Bearing Carriers (White or Bronze)

DIMENSIONS

1" W x 5" H x 4-5/8" D (3-1/2" projection) 1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection) 1" W x 5" H x 6-1/8" D (5" projection) 4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection) 4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection) 4" W x 1-1/8" H x 6-1/8" D (5" projection) 2" W x 4-1/2" H x 1" D (1/8" projection) 1" W x 4-1/2" H x 4" D (3-1/2" projection)

RIPPLE-FOLD CARRIERS

DESCRIPTION

8 Wheel Ripple Snap Master (Overlap) 8 Wheel Ripple Snap Master (Under) 8 Wheel Ripple Butt Master (Left) 8 Wheel Ripple Butt Master (Right) Ripple Snap Carrier 60% Fullness (2-5/8") Ripple Snap Carrier 80% Fullness (2-3/8") Ripple Snap Carrier 100% Fullness (2-1/8") Ripple Snap Carrier 120% Fullness (1-7/8")

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

10

TIEBACKS

DESCRIPTION

Orbed (U style) Ball (Post style) End Cap (U style)

DIMENSIONS

6" face x 1-1/2" width x 4-1/2" projection 2-1/4" width x 6-3/4" projection End Cap (Post style) 1 -5/8" width x 4" projection 6" face x 1-1/2" width x 3" projection

RINGS

DESCRIPTION

Rings - eyelet (10 pack) 2" Rings - eyelet (10 pack) C-Ring 2" 1-1/2" *Rings - eyelet (10 pack)* *Rings - eyelet (10 pack)* C-Ring 1-1/2" *Fits back rod on double rod set only

INSIDE DIAMETER

NEXT GENERATION IRON MOTORIZED 1.5" DIAMETER ROD SETS

- Single Rod Set
- Double Rod Set
- Sets include: Rod, motor, finials and mounting hardware.
- Single and Double rod sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature Simple End Cap finials on the 1-1/2" back rod.
- Rod widths greater than 48", include center support brackets.

SPECIFICATIONS & DIMENSIONS

REMOTES

DESCRIPTION

Dual-Channel Handheld Remote (control up to 2 motors) 15-Channel Remote (control up to 30 motors) Dual-Channel Wireless Wall Switch (control up to 2 motors) 15-Channel Wireless Wall Switch (control up to 15 motors)

MOTORS DESCRIPTION	('GI) Curtain W	(ni-ql)	Speed Speed (in./sec)	(Y) Rated Current	(GI) weight	Cord Length	Average Battery Charge
110v AC Plug-in Motor	100	10.6	5.5	0.16	3.9	12	N/A
12v Rechargeable Lithium Battery Motor	66	10.6	5.5	0.16	3.9	N/A	6

ORDERING INFORMATION

SEE PRICE LIST FOR PRICES AND

FINIALS

DESCRIPTION	DIMENSIONS
Knob	3/4" W x 2-1/2" H
Ribbon	1-3/4" W x 2-1/4" H
Bow Tie	2-3/4" W x 3" H
Block	7/8" W x 2" H
Cylinder	2-3/4" W x 2" H
Ball	2-1/2" W x 2-3/8" H
End Cap	1/2" W x 2-3/4" H
Clear Square	1-1/4" W x 2-3/4" H
Contempo	1-3/8" W x 2" H
Simple End Cap	3/4" W x 2" H
Clear Cylinder	2-1/8" W x 2" H

- All remotes and switches come paired to the motor.
- Control multiple motors with one remote.
- 3v Battery included with remotes and switches

Wi-Fi MODULE

- Wi-Fi Module easily connects to the bottom of the plug-in motor.
 - Use your smart phone to control motor with APP available in the APP Store and Google Play.
- WiFi Module connects with Amazon Alexa, Google Assistant and Siri.

MASTER CARRIERS

DESCRIPTION

Standard Motorized Master (Center Draw) Extension Arm Master (One-way Draw)



Google Assistant

'Hey Siri'


BRACKETS

DESCRIPTION

Standard	1" W x 5-1/2" H x 4-1/4" D (3-1/2" projection)
Extension	1" W x 5-1/2" H x 5-3/4" D (5" projection)
Double	1" W x 6-1/2" H x 7-3/8" D (3" & 6-1/2" projection)
Standard Center	4" W x 1" H x 4-1/4" D (3-1/2" projection)
Extension Center	4" W x 1" H x 5-3/4" D (5" projection)
Double Center	1" W x 2" H x 7-3/8" D (3" & 6-1/2" projection)
Ceiling	2" W x 1-1/2"- 12" H x 2" D (Custom made)

• Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.





BRACKETS DOUBLE **EXTENSION** SINGLE C-RING EXTENDED CENTER C-RING DOUBLE CENTER C-RING CENTER . CEILING MOUNT ELBOW INSIDE MOUNT **TIE BACKS** 00 0 SCROLL FLAME ACANTHUS LEAF ORBED iron Scroll 00 END CAP-**U-STYLE** END CAP-POST STYLE 14



- 1-1/2" DIAMETER
- SINGLE AND DOUBLE ROD SETS
- FORGED IRON HARDWARE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT



ACCESSORIES







BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ELBOW CONNECTOR



BLACK

03



OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

ESTATE IRON 1.5" DIAMETER ROD SETS

SEE PRICE LIST FOR PRICES AND ORDERING INFORMATION

- Single Rod Set
- Double Rod Set

SET INCLUDES: Rod, finials, brackets and mounting hardware.

- Corner Window Rod Set
- Bay Window Rod Set
- Inside Mount Rod Set
- Single, Double, Corner and Bay sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the 1" back rod.
- No finials on inside mount rod sets.
- Rod widths greater than 72", include center support brackets.

Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces. Rod Sets over 188" and up to 282" will come in 3 pieces. Rod segments made in one piece over 94" carry a substantial shipping surcharge and additional production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION

Grande Pajaro Grande Double Scroll Leaf 6" W x 8" H Grande Square Cap Crown Ball Grande Scroll Grande Flame Grande Double Acanthus 7-1/2" W x 4" H Grande Iron Ball Grande Camelot Grande Terrazzo Grande Papyrus Grande End Cap

DIMENSIONS 5-1/2" W x 4-1/4" H 5-1/4" 5-1/2" 2-3/4" W x 3" H 2-1/2" 4" W x 3-1/4" H 3-3/4" 7-1/4" W x 3-1/2" H 7" 8-1/2" W x 4" H 8" 7-1/4" 3-1/2" W x 3" H 3-1/4" 5-1/2" W x 3-1/2" H 5-1/4" 6-3/4" W x 2-3/4" H 6-1/2" 5-1/4" W x 3-1/4" H 5" 7/8" W x 2-1/2" H 1/8"

LENGTH ADDED TO THE END OF THE ROD

RINGS

DESCRIPTION Rings - eyelet (10 pack) C-Rings - eyelet (10 pack) Rings - eyelet (10 pack)

INSIDE DIAMETER

2"	
2"	
2-1/2"	

1103 rings on front rod and 1102 rings on back rod for double rod sets.

BRACKETS

DESCRIPTION

Forged Single Forged Double(1) Forged Extended C-Ring Center Bypass C-Ring Double Center (1) C-Ring Extended Center Inside Mount Ceiling Mount

DIMENSIONS

1" W x 5" H x 4-5/8" D (3-1/2" projection) 1" W x 5" H x 6-1/8" D (2-1/2" & 5" projection) 1" W x 5" H x 6-1/8" D (5" projection) 4" W x 1-1/8" H x 4-5/8" D (3-1/2" projection) 4" W x 1-1/8" H x 6-1/8" D (2-1/2" & 5" projection) 4" W x 1-1/8" H x 6-1/8" D (5" projection) 2" W x 4-1/2" H x 1" D (1/8" projection) 1" W x 4-1/2" H x 4" D (3-1/2" projection)

(1) Front cup holds a 1-1/2" rod and back cup holds a 1" rod

* Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACKS

DESCRIPTION


Flame (U style) Acanthus Leaf (U style) Scroll (U style) - left Scroll (U style) - right Orbed (U style) Iron Scroll (Post style) End Cap (Post style) End Cap (U style)


DIMENSIONS

9" face x 2-1/4" width x 6-1/2" projection 7" face x 4" width x 5-1/4" projection 7" face x 4" width x 4-3/4" projection 7" face x 4" width x 4-3/4" projection 6" face x 1-1/2" width x 4-1/2" projection 7-1/2" face x 3-1/4" x 4-3/4 projection 2" width x 4-3/8" projection 6" face x 1-7/8" width x 5-3/4" projection









TIE BACKS





rustica



DOUBLE TRAVERSE

• 1" DIAMETER

- SINGLE AND DOUBLE ROD SETS
- FORGED IRON HARDWARE
- STANDARD AND TRAVERSE
- CUT TO SIZE
- BAY & CORNER WINDOWS
- INSIDE MOUNT



ACCESSORIES



BLACK

GOLD

37







BAYS & CORNERS

We can calculate your rod lengths for all your bay and corner windows!

PLEASE SEE THE MEASURING GUIDE



ADJUSTABLE ELBOWS



OUTDOOR READY FINISH OPTION

Decorate your deck, cabana or outdoor space! Outdoor finish option is available for a 25% up-charge, which includes a full 5-year replacement warranty. Sets must be installed under an eave or overhang, avoiding direct exposure to the elements. Regular wipe down is required. Not recommended for high humidity or beach environments. AVAILABLE ONLY IN OIL RUBBED BRONZE, RUSTICA AND BLACK.

CUSTOM IRON 1" DIAMETER ROD SETS

SEE PRICELIST FOR PRICES AND ORDERING INFORMATION

SET INCLUDES: Rod, finials, brackets and mounting hardware.

Single Rod Set (1") Double Rod Set (1" front rod and 1" back rod) Single Traverse Rod Set (1-1/8") Double Traverse Rod Set (1-1/8" front rod and 1-1/8" back rod) Corner Window Rod Set (1") (1-1/8" Traverse) Bay Window Rod Set (1") (1-1/8" Traverse) Inside Mount Rod Set (1")

- Single, Double, Corner and Bay Sets come with standard brackets included. Extension brackets can be substituted for no additional charge.
- Double rod sets feature end cap finials on the back rod.
- No finials on inside mount rod sets.
- Rod sets with overall widths greater than 72" include center bracket(s).
- Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" will come in two pieces.
- Rod segments made in one piece over 94" carry a substantial shipping surcharge and production surcharge.

SPECIFICATIONS & DIMENSIONS

FINIALS

DESCRIPTION

Rounded Square Cap 2-1/4" W x 2-1/2" H Terrazzo Torche Capri End Cap Small Acanthus Fleur Acorn Iron Ball

ADDED DIMENSIONS TO ROD 2" 6" W x 2-3/4" H 5-3/4" 5-1/2" W x 2-3/4" H 5-1/4" 3-3/8" W x 2-1/2" H 3-1/4" 1/2" W x 1-7/8" H 1/8" 4-1/2" W x 3" H 4-1/4" 4-1/2" W x 3-1/8" H 4-1/4" 3-3/8" W x 2" H 3-1/4" 2-3/4" W x 2-1/2" H 2-5/8"

TIEBACKS LENGTH

DESCRIPTION

Flame (U style) Acanthus Leaf (U style) Scroll (U style) - left Scroll (U style) - right Orbed (U style) Iron Scroll (Post style) End Cap (Post style) End Cap (U style)

DIMENSIONS

9" face x 2-1/4" w x 6-1/2" projection 7" face x 4" w x 5-1/4" projection 7" face x 4" width x 4-3/4" projection 7" face x 4" width x 4-3/4" projection 6" face x 1-1/2" width x 6" projection 7-1/2" face x 3-1/4" w x 4-3/4" projection 2" width x 4-3/8" projection 6" face x 1-7/8" width x 5-3/4" projection

BRACKETS

DESCRIPTION

Ceiling Mount Bracket Forged Single Bracket Forged Double Bracket Forged Extension Bracket C-Ring Center Bracket C-Ring Double Center Bracket C-Ring Extended Center Bracket Inside Mount Bracket

Sinale Traverse Double Traverse Extension Traverse Center Traverse Double Center Traverse **Extension Center Traverse**

DESCRIPTION

Rings - eyelet (10 pack) C-Rings - eyelet (10 pack)

DIMENSIONS

1" W x 3-1/8" H x 3" D (2-1/2" projection) 1" W x 4" H x 3-1/4" D (2-1/2" projection) 1" W x 4" H x 6" D (2-1/2" & 5" projection) 1" W x 4" H x 6" D (5" projection) 4" W x 1" H x 3-1/8" D (2-1/2" projection) 4" W x 1" H x 5-3/4" D (2-1/2" & 5" projection) 4" W x 1" H x 5-3/4" D (5" projection) 1-1/4" W 2-1/4" H x 7/8" D (1/8" projection)

1" W x 3" H x 3" D (2-1/2" projection) 1" W x 4" H x 5-5/8" D (2-1/2" & 5" projection) 1" W x 4" H x 5-5/8" D (5" projection) 4" W x 1" H x 3-1/8" D (2-1/2" projection) 4" W x 1" H x 5-5/8" D (2-1/2" & 5" projection) 4" W x 1" H x 5-5/8" D (5" projection)

22

INSIDE DIAMETER

1 1/2" 1 1/2"

* Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

Copyright 2024







- 3/4" AND 1" DIAMETER
- SINGLE AND DOUBLE ROD SETS

RINGS

CUT TO SIZE



FND BRACKFTS



3/4" BRACKET

IVORY

RUSTICA

CENTER BRACKETS



DOUBLE

SPECIFICATIONS AND DIMENSIONS

ACCESSORIES

1-1/2 & 1-1/4 INCH **INSIDE DIAMETERS**

C-RINGS


DESCRIPTION

1" DOUBLE ROD SET

1" End Bracket 1" Center Bracket 1" Extension End Bracket 1" Extension Center Bracket 1" Double Center Bracket 3/4" End Bracket 3/4" Center Bracket 3/4" Extension End Bracket 3/4" Extension Center Bracket 3/4" Double Center Bracket

DIMENSIONS

2-1/2" W x 4-1/4" H x 4" D (3-1/2" projection) 4" W x 1" H x 4-1/4" D (3-1/2" projection) 2-1/2" W x 4-1/4" H x 5-1/2" D (5" projection) 4" W x 1" H x 5-5/8" D (5" projection) 4" W x 2" H x 5-3/4" D (2-1/2" & 5" projection) 3-1/4" W x 2" H x 3-7/8" D (3-1/2" projection) 4" W x 1" H x 4-1/8" D (3-1/2" projection) 2-1/2" W x 2" H x 5-3/8" D (5" projection) 4" W x 1" H x 5-1/2" D (5" projection) 4" W x 2" H x 5-1/2" D (2-1/2" & 5" projection)




BRONZE

SMOKE





CONTEMPORARY METAL



SURNISHED COPPER

15

NICKEL

16

BLACK

03

BRONZE 31

1" ADJUSTABLE ROD SETS • SINGLE AND DOUBLE ROD SETS COMPLETE SETS CORNER AND BAY SETS • **AVAILABLE IN: INSIDE MOUNT** • • 22" - 40" • 40" - 76" • 76" - 148" BRACKETS 0 ACCESSORIES DOUBLE EXTENSION SINGLE **CLIP RINGS** INSIDE MOUNT **EYELET RINGS CEILING MOUNT** POST TIEBACK **BAYS & CORNERS**



ELBOW

SEE PRICELIST FOR PRICES AND ORDERING INFORMATION

CONTEMPORARY METAL 1" DIAMETER ROD SETS

SET INCLUDES: Rod, finials, brackets and mounting hardware.

- Single Rod Set (1") *
- Double Rod Set (1" front rod and 1" back rod)
- Corner Window Rod Set
- Bay Window Rod Set (1")
- Inside Mount Rod Set (1")

* with your choice of Standard or Extension Brackets

Double rod sets feature end cap finials on the 1" back rod. No finials on inside mount rod sets.

SPECIFICATIONS & DIMENSIONS

FINIALS		LENGTH ADDED	RINGS	
DESCRIPTION	DIMENSIONS	TO ROD	DESCRIPTION	INSIDE DIAMETER
Ribbed Square Cap	2-7/8" W x 2-1/2" H	2-3/4"	Clip Rings (10 pack)	1-1/2"
Sausalito	2-1/2" W x 2-7/8" H	2-3/8"	Rings - eyelet (10 pack)	1-1/2"
Ballcap	2-3/4" W x 2-3/8"H	2-5/8"		1 1/2
Baroque	3" W x 2-1/8" H	2-7/8"		
Orchid	3-5/8" W x 2-1/2" H	3-1/2"		
End Cap	3/4" W x 1-3/8" H	5/8"		
Traditions	3-3/4" W x 2-1/2" H	3-5/8"		
Round Flame	2-3/4" W x 3" H	2-5/8"		

BRACKETS

DESCRIPTION	DIA
Single Bracket	1" V
Double Bracket (1)	1" V
Extension Bracket	1" V
Inside Mount Bracket	1-3
Ceiling Mount Bracket	1" V
Elbow	Exte

DIMENSIONS

1" W x 2-1/2" H x 3-1/4" D (2-1/2" projection) 1" W x 2-1/2" H x 5-3/4" D (2-1/2" & 5" projection) 1" W x 2-1/2" H x 5-5/8" D (5" projection) 1-3/8" W 2-5/8" H x 1-1/2" D 1" W x 3" H x 3" D (2-1/2" projection) Extends 3/4" from end of rod to center of swivel

(1) Front cup holds a 1" rod and back cup holds a 1" rod

* Projection is measured from the center of the bracket cup to the back plate of the bracket. D is the distance; it is measured from the front of the bracket to the back plate of the bracket. W is the horizontal length of the bracket while the H is the vertical length of the bracket back plate.

TIEBACK

DESCRIPTION Post Tieback w/Finial Choice

DIMENSIONS	2" Diameter Base
	4-1/4" depth plus finial dimension






SEDONA

SEDONA





• 2" DIAMETER • SINGLE AND DOUBLE ROD SETS • STANDARD AND TRAVERSE OPTIONS • RIPPLEFOLD CARRIERS AVAILABLE AMERICAN GROWN HARDWOOD HIDDEN BRACKETS • CUT TO SIZE • ROD SETS UP 182" WOOD AND METAL RINGS DOUBLE ROD SET POLISHED METAL BLACK RUSTICA NICKEL BRONZE 03 14 16 31 17 DARK ROAST PALLET WOOD MAHOGANY BLACK STORM LEATHER WHITE 41 36 28 29 23 20 26

34

SEDONA 2" DIAMETER ROD SETS

Rod, finials, brackets and all hardware.

AVAILABLE CONFIGURATIONS

- Single Rod Set
- Double Rod Set
- Single Traverse Rod Set
- Double Traverse Rod Set

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

SPECIFICATIONS & DIMENSIONS

PART NAME	WIDTH	HEIGHT	DEPTH	LENGTH ADDED	TO THE END OF THE ROD
FINIALS Sphere	3-1/2"	3"	3"	3"	
Halo	2"	3-1/2"	3-1/2"	1-5/8''	BRACKET
Hub Cap	1-1/4"	3"	3"	1"	
Cylinder	2-1/2"	2"	2"	2-1/2"	
End Cap	3/4"	2-3/4"	2-3/4"	1/4"	
Button	3/4"	2-3/8"	2-3/8"	3/8"	Custom
Bow Tie	1-1/4"	2-7/8"	2-7/8"	1"	made to any
Naked	3/4"	2"	2"	3/4"	length 1-1/2" to 12"
PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION*	-
BRACKETS					BRACKETS
Single	2-7/8"	2"	3-1/4"	4-1/4"	Gentar

Single	2-7/8"	2"	3-1/4"	4-1/4"
Double	2-7/8"	2"	5-1/8"	2-1/2 AND 6-1/8"
Ceiling	2"	Custom	2"	
Extension	2-7/8"	2"	5-1/8"	6-1/8"

HEIGHT

2-3/8" 4"

*Projection is measured from the wall to the center of the rod.

00

DOUBLE

EXTENSION

PART NAME	WIDTH
TIEBACKS	
Post & Button	2-3/8"
Wood Rosette	4''
	6

WOOD ROSETTE





POST & BUTTON

PART NAME	INSIDE DIAMETER
WOOD RINGS	2-5/8"
METAL RINGS	2-1/2"



SINGLE

DEPTH

4-1/4"

3-1/2"



PLANTATION wood










ASTORIA


DUCHESS 2" only







ROSETTE TIEBACK



PLANTATION wood 1-3/8" and 2" DIAMETER ROD SETS

SETS INCLUDES: Rod, finials, brackets and mounting hardware.

1 3/8" DIAMETER

Single Rod Set (1-3/8") Double Rod Set (1-3/8" front rod and 1-3/8" back rod) Inside Mount Rod Set (1-3/8")

2" DIAMETER

Single Rod Set (2") Single Traverse Rod Set (2") Double Rod Set (2" front rod and 1-3/8" back rod) Inside Mount Rod Set (2")

FINIALS		LENGTH ADDED
DESCRIPTION	DIMENSIONS	TO ROD
Wood Ball 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Turned Knob 3-1/4" W x 2-1/2" H	1-3/8"	3-1/8"
Astoria 3-1/8" W x 2-3/8" H	1-3/8"	3"
End Cap 1-1/8" W x 2" H	1-3/8"	1"
Duke 3-5/8" W x 3 H	1-3/8"	3-1/2"
Wood Ball 4-3/4" W x 3-1/2" H	2"	4-5/8"
Turned Knob 4-3/8'' W x 3-1/2'' H	2"	4-1/4"
Astoria 4-1/2" W x 3-3/8" H	2"	4-3/8"
End Cap 1-5/8" W x 3" H	2"	1-1/2"
Duchess 6" W x 3-1/2" H	2"	5-7/8"
Sultan 4-1/4" W x 4-1/2" H	2"	4-1/8"

FINILA I C

Rods are cut to the precise width ordered and end drilled for finials. Double rod sets feature end cap finials on the 1-3/8" back rod. No finials on inside mount rod sets. Rod width greater than 72", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 188" and traversing up to 168" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge.

SPECIFICATIONS & DIMENSIONS

BRACKETS

DESCRIPTION	ROD SIZE	DIMENSIONS
Single Bracket	1-3/8"	1" W x 3-1/4" H x 5-1/4" D (3-7/8" projection)
Double Bracket (1)	1-3/8"	1" W x 3-1/4" H x 8-3/4" D (3-7/8" & 7-3/8" projection)
Inside Mount Bracket (*)	1-3/8"	1" W x 2-7/8" x 2-7/8" D
Single Bracket	2"	1-3/8" W x 4-1/4" H x 6-7/8" D (5" projection)
Double Bracket (2)	2"	1-3/8" W x 4-1/4" H x 9-1/2" D (4-1/4" & 7-3/4" proj.)
Inside Mount Bracket (*)	2"	1" W x 3-3/8" H x 3-3/8" D

(1) Front cup holds a 1-3/8" rod and back cup holds a 1-3/8" rod. (2) Front cup holds a 2" rod and back cup holds a 1-3/8" rod.

Projection is measured from the center of the bracket cup to the back plate of the bracket.

D is the distance; it is measured from the front of the bracket to the back plate of the bracket.

W is the horizontal length of the bracket.

H is the vertical length of the bracket back plate.

*Subtract 1" total from inside dimension for rod length.

TIEBACKS DESCRIPTION Rosette DIMENSIONS 4" face x 1" width x 4-3/8" deep


RINGS

DESCRIPTION	ROD SIZE	INSIDE RING DIAMETER
930 Wood Rings - eyelet (10 pack)	1-3/8"	1-3/4"
930-2 Wood Rings - eyelet (10 pack)	2"	2-1/2"



STRUCTURE

TRAVERSE OR MOTORIZED OPTIONS



- 2" SQUARE RODS
- TRAVERSE & MOTORIZED
- SINGLE & DOUBLE ROD SETS
- CENTER & ONE-WAY DRAW
- STANDARD & RIPPLEFOLD CARRIERS
- AMERICAN GROWN HARDWOOD
- ROD SETS UP TO 182"
- CUT TO SIZE

MOTORIZED

SINGLE MOTORIZED (shown without motor)



TRAVERSE



DOUBLE TRAVERSE



SINGLE TRAVERSE



AVAILABLE CONFIGURATIONS
 Single Motorized Rod Set

Double Motorized Rod Set

• Single Traverse Rod Set

Double Traverse Rod Set

2" SQUARE ROD SETS

SETS INCLUDE

Rod, finials, brackets and all hardware.

TRAVERSE ROD SETS

Rods are cut to the precise width ordered and end drilled for finials. Rod width greater than 60", include center support brackets. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. Specify "TR" for right draw and "TL" for left draw when ordering one way draw rod sets.

MOTORIZED ROD SETS

Fascia wood cover is cut to the precise width ordered and ends drilled for finials. Rod Sets up to 94" are made as one piece. Rod Sets over 94" and up to 182" will come in two pieces. Rod segments made in one piece over 94" carry a substantial shipping and production surcharge. See "LOFT" Ordering Guide for more details.


SPECIFICATIONS & DIMENSIONS

PART NAME	WIDTH	HEIGHT	DEPTH	LENGTH ADDED TO TH	IE OF THE ROD
FINIALS					
Sphere	3-1/4"	3"	3"	3-1/4"	
Naked	3/4"	2"	2"	3/4"	
Waffle	3/8"	2-1/4"	2-1/4"	3/8"	
Contempo	1-1/4"	2"	2"	1-1/4''	
End Cap	3/4"	2"	2"	3/4"	
Button	3/8"	2"	2"	3/8"	
Bow Tie	7/8"	2-7/8"	2-7/8"	7/8"	
Knob	5/8"	2-1/2"	2-1/2"	5/8"	
PART NAME	WIDTH	HEIGHT	DEPTH	PROJECTION (measured fro	om wall to center of the rod)
BRACKETS					
Single	2-7/8"	2"	3-1/4"	4-1/4''	
Double	2-7/8"	2"	5-1/8	2-1/2" AND 6-1/8"	
Ceiling	2"	Custom	2"		SINGLE
Extension	2-7/8"	2"	5-1/8"	6-1/8''	
	6		0		EXTENSION
		BRONZE			DOUBLE
RUSTIC 14	CA	31	PO	DLISHED METAL BLACK	
					CEILING
MAHOGANY BLACK					Custom made 1-1/2" up to 12"
28 41	29	26	30	6 <u>23</u> 20	
			1	2	
			4	3	-
	Contraction of the second			HERE AND A CONTRACTOR OF	





DRAPERY MOTORIZATION SIMPLIFIED.



Powerful, yet quiet plug-in motor handles curtains up to 100 lbs. Motors are low voltage for added safety and can be mounted on the left or right.

Plug in or cordless motors available. Our Cordless Lithium-ion battery powered motor goes 6 months to a year on a single charge and is easily rechargeable with included charger.



RF Remote Control

Control a single or double rod set using our smart phone quality dual channel remote.

Multi channel and wall mount controllers available. Wall controller detaches from magnetic base plate for portable use.

Whisper Quiet

Dampening technology reduces noise level below 30dB



Soft Opening & Closing

Smooth and elegant operation



Touch Start

Gently pulling the curtain will trigger the motor to open automatically

÷

Automatic Limit Positions

Positions set automatically on the first use and re-calibrate everyday



Obstruction Protection

Motor will stop automatically if the curtain is pulled or it's path obstructed



Manual Operation

Curtains easily open and close manually in the event of power loss



Durability

Professional grade equipment built for years of worry free use. All components "best in class" quality and warranted for 5 years.

46











PRESENTATION SAMPLES



SAMPLE BAG

Our drapery hardware sample bag is an easy way to show your customer the style and unsurpassed quality of the product. The durable nylon sample bag is convenient for meetings and customer presentations.



FINISH SAMPLES

BAG INCLUDES:

- Durable Sample Tote
- STRUCTURE wood+metal Sample
- Custom Iron Bracket Sample
- Custom Iron (1") Sample
- Estate Iron (1 1/2") Sample
- 2 SEDONA wood+metal Samples
- Retail Price List
- Finish Sample Plates



CUSTOM WROUGHT IRON



STYLE MIX

SAMPLE BOARDS

Wall mount sample boards feature complete rod sets including finials and brackets as well as rings representing each available finish. Boards can be ordered for each collection or a style mix board showing an example from each collection. Boards are furniture quality with hand finished hardwood trim.



SEDONA



PLANTATION WOOD



SEDONA & STRUCTURE



NEXT GENERATION IRON




FRENCH RETURN



MIX-IT

MEASURING GUIDE

MEASURING TIPS:



DETERMINE YOUR HARDWARE WIDTH:

Rod width does not include the width of the finials on each end. Finials add 2" to 8" in width on each end, depending on the finial style. We recommend a 5" overlap on each side of the window.

For example if your window is 50" wide, you would normally order a 60" length rod and the overall finished width would be 64" to 76" depending upon the finial style.

INSIDE MOUNT MEASURING:

Have customer measure just the opening. Factory will need to know if you want deductions made for the inside mount brackets.

• Always use a steel tape measure. All dimensions should be taken to the nearest 1/4 inch.

• Double check to make sure that you haven't transposed width and height measurements.

• Measure every window. Windows that look identical often are not.

• If you have any questions, please contact Customer Service for more information.

BAY WINDOWS MEASURING:

Please answer the questions below.

To order a bay window rod set correctly, you need to provide the separate measurement of each section of the bay area wall (shown here as A, B and C) and the degree of each wall angle (shown here as Angle #1 and Angle #2).

If you would like us to determine the angles, you will need to additionally provide the opening width of the bay.




We will calculate your rod size based on these measurements and rod style you select. Our standard calculations allow for the finials to be just short of the outside of the opening. If you wish them to project out past the opening please advise when ordering.

NEXT GENERATION IRON MOTORIZED

CARRIER COUNT GUIDE

NOTE: Exact carrier count is needed before we build your custom drapery rod. DO NOT count fixed carriers or pin holes on master carriers.



		v to order each LOFT motorized track. We'll deliver assembled* and ready to , just mount the brackets, attach the track, snap in motor and hang the curta
	Made a mistake? No	vorries, send it back and we'll fix it.
	Sidemark:	Date:
	Room:	Window:
	Dealer:	PO#
	Contact Phone:	Email:
Frack Type ∗	racks over 94" will be shinned in	2 pieces and require some assembly.
	_	le, both tracks motorized
Track Length		
	Example: Window opening is a second s	io" wide and the curtains to be 12" past the window opening on both sides.Track should be 74" lor Choose Ripplefold Fullness:
Motor Positio □Right or □	n easy to switch in the field. Left	Draw Two way/center opening
	ickets	□One way/right draw □One way/left dra
viounting Bra		
_ •		tion*) *Clearance = wall to back of track *Projection = wall to center of track
_ `		
☐ Wall (1.25"	" Clearance* / 2" Projec	
Wall (1.25"	" Clearance* / 2" Projec	
☐ Wall (1.25" ☐ Extended \ ☐ Ceiling	" Clearance* / 2" Projec	6" Projection)
□ Wall (1.25" □ Extended V □ Ceiling Carriers □ Standard Motor Power	' Clearance* / 2'' Projec Wall (5.25'' Clearance / □Ripplefold Source	6" Projection) Master Carriers Standard overlap (4") Butt – Available on ripple fold and only on split draw
☐ Wall (1.25" ☐ Extended V ☐ Ceiling Carriers ☐ Standard Motor Power ☐ Battery Se	" Clearance* / 2" Project Wall (5.25" Clearance / Ripplefold Source ee price list for cost. year on a single charge.	6" Projection) Master Carriers Standard overlap (4") Butt – Available on ripple fold and
☐ Wall (1.25" ☐ Extended V ☐ Ceiling Carriers ☐ Standard Motor Power ☐ Battery Set Last 6 months to a Includes recharging	" Clearance* / 2" Project Wall (5.25" Clearance / Ripplefold Source ee price list for cost. year on a single charge. g cord.	6" Projection) Master Carriers Standard overlap (4") Butt – Available on ripple fold and only on split draw
☐ Wall (1.25" ☐ Extended V ☐ Ceiling Carriers ☐ Standard Votor Power ☐ Battery Set Last 6 months to a Includes recharging	" Clearance* / 2" Project Wall (5.25" Clearance / Ripplefold Source ee price list for cost. year on a single charge. g cord.	6" Projection) Master Carriers ☐ Standard overlap (4") ☐ Butt – Available on ripple fold and only on split draw ☐ 110v plug-in (12' cord)