

Forest Traversing Hardware ORDER FORM

Use this form for hand draw, cord draw, and motorized systems

For assistance call customer service at 800–325–8025. When complete, email form to customerservice@rmcoco.com or fax to 573–334–7483.

Order Date		
Company Name		
Account Number		
Contact		
	First Name Last Name	
Phone Number	Area Code Phone Numbe	r
Address	Street Address	
	Street Address Line 2	
	City	State / Province
	Postal / Zip Code	
Email		
	example@example.com	

Number of items with these specifications	Quantity	Finished track length excluding finial projection.	In inches to nearest eighth
I am specifying a Tra	ck System:		
☐ Track CS - P. 3-6			
☐ Track CL - P. 3-6			
☐ Track CM - P. 3-6			
☐ Track FMS Motoriz	zed – P. 73–74		
☐ Track CCS - P. 7-8	8		
☐ Track RTS - P. 9-1	LO		
☐ Track RMS Recesse	ed Motorized – P. 75-	-76	
☐ Track KS - P. 11-1	12		
☐ Track DS - P. 11-3	12		
☐ Track DSXL - 13-1	14		
☐ Track DSXL LED -	P. 13-14		
☐ Track DSXL LED M	otorized - P. 77-78		
I am specifying a Dec	corative Traversing S	System:	
☐ Dresden Hand Dra	ıw - P. 41-42		
☐ Dresden 1 1/8" Co	ord Draw - P. 43-44		
☐ Dresden 1 9/16" C	Cord Draw - P. 43-44		
☐ Dresden 1 1/8" Mo	otorized - P. 83-88		
☐ Dresden 1 9/16" N	Motorized - P. 85-88		
☐ Deventer CRS Han	d Draw, P. 47-48		
☐ Deventer MRS Mot	orized, P. 89-90		
☐ Frankfurt Square R	Rail - P. 49-50		
Stuttgart Rectangle	e Rail - P. 51-52		
☐ Stuttgart C-Rail -	P. 53-54		
☐ Stuttgart Oval Rail	– P. 55–56		
☐ Cordoba 2" Wood	Traversing - P. 67-68	3	
☐ Cordoba 2" Wood	Motorized - P. 91-92		
Granada 2 3/4" Wo	ood Traversing – P. 6	7-68	
☐ Granada 2 3/4" Wo	ood Motorized – P. 91	L-92	
Finish choice:	See catalog pages referen	ced above for finish options	
My treatment is:	Single or Double		

Wall or Ceiling

Mount type:

Drapery style:	
	Ripplefold or pinchpleat. If ripplefold, specify a fullness below.
IF ripplefold, choose	
fullness:	60%, 80%, 100% or 120%
Draw:	Stack left, stack right, center draw or stationary
Master carrier:	
	Hidden baton, exposed baton or butt master. This does not apply to corded or motorized systems
Control type:	
	Baton, cord left, cord right, motorized. Motorized orders – complete additional specifications below.
If cord draw, specify	
cord length:	
	Cord length in inches to nearest eighth. Child safety device included with all corded systems.
Baton choice:	
buton enoice.	36" clear acrylic batons are included with all assembled sets. See page 23 in your catalog for other options
	available at an additional charge.
Special instructions:	
special ilistructions.	
Special instructions may incl	ude specifications such as a carrier color other than white or a baton other than 36" clear acrylic.
	Places complete the following for
	Please complete the following for MOTORIZED orders ONLY.
	MOTORIZED OIGETS ONLT.
Motor:	
	Shuttle HD, Shuttle Eco, Shuttle L or Shuttle iOn. See pages 71–72 for motor specifications.
	Left or right
Control choice:	Paranta annull authala Fandhind annua la cara de la car
	Remote or wall switch. For third party and app control options, call customer service, 800–325–8025.
Power supply cord	
length:	7 ft. 6 in. or 16 ft.